

X5 FastMig

PRZEMYSŁOWA SPAWARKA WIELOPROCESOWA
OFERUJĄCA ZNACZNIE WIĘCEJ NIŻ TYLKO WYSOKIEJ
JAKOŚCI SPOINY





DANE DO ZAMÓWIENIA

ŹRÓDŁA ZASILANIA

Product name	Product code	Sales package code
X5 Power Source 400	X5110400000	
X5 Power Source 500	X5110500000	
X5 Power Source 400 Pulse	X5130400000	
X5 Power Source 400 Pulse WP	X5130400010	
X5 Power Source 400 Pulse+	X5100400000	
X5 Power Source 400 Pulse+ WP	X5100400010	
X5 Power Source 400 MV Pulse+	X5100400100	
X5 Power Source 400 MV Pulse+ WP	X5100400110	
X5 Power Source 500 Pulse	X5130500000	
X5 Power Source 500 Pulse WP	X5130500010	
X5 Power Source 500 Pulse+	X5100500000	
X5 Power Source 500 Pulse+ WP	X5100500010	
X5 Power Source 400 WP	X5110400010	
X5 Power Source 500 WP	X5110500010	
X5 Power Source 400 MV WP	X5110400110	

PODAJNIKI DRUTU

Product name	Product code	Sales package code
X5 Wire Feeder 200 Manual	X5220200000	
X5 Wire Feeder 300 Manual	X5220300000	
X5 Wire Feeder HD300 M	X5260300000	
X5 Wire Feeder 300 AP	X5240300000	
X5 Wire Feeder 300 APC	X5250300000	
X5 Wire Feeder HD300 AP	X5270300000	
X5 Wire Feeder HD300 APC	X5280300000	

OPROGRAMOWANIE

Product name	Product code	Sales package code
MAX Cool	MSM70000 (Product code for Master M) X570000 (Product code for X5 FastMig) AX80000 (Product code for AX MIG Welder)	
MAX Position	MSM90000 (Product code for Master M) X590000 (Product code for X5 FastMig) AX60000 (Product code for AX MIG Welder)	



MAX Speed	MSM80000 (Product code for Master M) X580000 (Product code for X5 FastMig) AX70000 (Product code for AX MIG Welder)
WiseFusion	X5500001 (Product code for X5 FastMig) X8500000 (Product code for X8 MIG Welder) MSM40000 (Product code for Master M) AX30000 (Product code for AX MIG Welder)
WisePenetration+	X5500002 (Product code for X5 FastMig) X8500002 (Product code for X8 MIG Welder) MSM50000 (Product code for Master M) AX20000 (Product code for AX MIG Welder)
WiseSteel	X5500000 (Product code for X5 FastMig) X8500001 (Product code for X8 MIG Welder) MSM60000 (Product code for Master M) AX10000 (Product code for AX MIG Welder)
WiseRoot+	X8500003 (Product code for X8 MIG Welder) X5500003 (Product code for X5 FastMig) AX40000 (Product code for AX MIG Welder)
WiseThin+	X8500004 (Product code for X8 MIG Welder) X5500004 (Product code for X5 FastMig) AX50000 (Product code for AX MIG Welder) 9990419 (Product code for FastMig X)
WeldEye ArcVision	9990797
X5 Work Pack Pulse	X5520002
X5 Work Pack 1-MIG	X5520000
Welding Programs, X5 FastMig	Skontaktuj się z najbliższym dystrybutorem Kemppi lub zajrzyj do Kemppi Software Hub.

AKCESORIA

Product name	Product code	Sales package code
X5 Cooler	X5600000000	
X5 Cooler MV	X5600000100	
Flexlite TX - X5 FastMig	TX223GE4 (4 m) TX253WSE4 (4 m) TX353WE4 (4 m)	



SuperSnake GTX - podajnik pośredni
(podajnik pośredni)

Zestawy
Zestaw SuperSnake GTX GAS 10 m, 50 mm²:
P400GTX
Zestaw SuperSnake GTX GAS 15 m, 50 mm²:
P401GTX
Zestaw SuperSnake GTX GAS 20 m, 50 mm²:
P402GTX
Zestaw SuperSnake GTX GAS 25 m, 50 mm²:
P403GTX
Zestaw SuperSnake GTX WATER 10 m, 50
mm²: P404GTX
Zestaw SuperSnake GTX WATER 15 m, 50
mm²: P405GTX
Zestaw SuperSnake GTX WATER 20 m, 50
mm²: P406GTX
Zestaw SuperSnake GTX WATER 25 m, 50
mm²: P407GTX
Zestaw SuperSnake GTX WATER 10 m, 70
mm²: P408GTX
Wszystkie pakiety zawierają jednostka
napędowa silnika i rama zabezpieczająca
SuperSnake GTX (SGTXMDUPF01) i kabel
Inne
Jednostka napędowa silnika SuperSnake
GTX: SGTXMDU01
Rama zabezpieczająca do podajnika
SuperSnake GTX: SGTXPF01
Jednostka napędowa silnika i rama
zabezpieczająca SuperSnake GTX:
SGTXMDUPF01
Podajnik zestawu SuperSnake X5:
X5702030000
Kable
Kabel SuperSnake GTXG 10 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXG105CBL
Kabel SuperSnake GTXG 15 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXG155CBL
Kabel SuperSnake GTXG 20 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXG205CBL
Kabel SuperSnake GTXG 25 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXG255CBL
Kabel SuperSnake GTXW 10 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXW105CBL
Kabel SuperSnake GTXW 15 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXW155CBL
Kabel SuperSnake GTXW 20 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXW205CBL
Kabel SuperSnake GTXW 25 m, 50 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXW255CBL
Kabel SuperSnake GTXW 10 m, 70 mm²
(standardowa prowadnica FE 1,0–1,6 mm):
SGTXW107CBL



SuperSnake GTX04HD - podajnik pośredni (podajnik pośredni)	SGTX04HD01 (w tym silnik napędowy i rama) Kable: Kabel SuperSnake GTXG 10 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXG105CBL Kabel SuperSnake GTXG 15 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXG155CBL Kabel SuperSnake GTXG 20 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXG205CBL Kabel SuperSnake GTXG 25 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXG255CBL Kabel SuperSnake GTXW 10 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXW105CBL Kabel SuperSnake GTXW 15 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXW155CBL Kabel SuperSnake GTXW 20 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXW205CBL Kabel SuperSnake GTXW 25 m, 50 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXW255CBL Kabel SuperSnake GTXW 10 m, 70 mm ² (standardowa prowadnica FE 1,0–1,6 mm): SGTXW107CBL
GXR10	GXR10
HR43	HR43
Digital Connectivity Module (DCM) Modbus TCP	6265051
X5 Gas Cylinder Cart	X5701020000
X5 Trolley Cart	X5701030000
X5 Wire Feeder Trolley	X5702020000
X5 Wire Feeder 2-wheel Trolley	X5702010000
X5 Accessory Tray	X5701040000
X3 4-wheel Trolley	X3T4
GH 20 Gun Holder	6256020
Wire Feeder Cabinet Heater	X8700010000
Wire Feeder Cabinet Heater, X5 200	SP021613
X5 Wire Feeder 200 Protection Frame	X5702080000
X5 Wire Feeder Rotating Plate	SP801116
X5 Double Wire Feeder Rotating Plate	X5702070000
X5 Wire Feeder Hanger for Boom	X5702040000
X5 Double Wire Feeder Hanger for Boom	X5702050000
X5 Wire Feeder Counterbalance Arm	X5702060000
X5 Wire Feeder Gun Support for Wire Feeder Trolley	X5702092000
X5 Wire Feeder HD300 Cabinet Heater	SP023363
X5 Wire Feeder HD300 Hanger for Boom	X5702041000
X5 Wire Feeder HD300 Protection Sliders with Gun Support	X5702091000



X5 Wire Feeder HD300 Rotameter Kit	SP024832
X5 Wire Feeder HD300 Gas Guard Kit	SP022701
X5 Remote Kits	X5RK5 – X5 Remote Kit 5M X5RK10 – X5 Remote Kit 10M
X5 Interconnection Cable 70-g	X57002MG X5 Interconnection Cable 70-g 2m - X57005MG X5 Interconnection Cable 70-g 5m - X57010MG X5 Interconnection Cable 70-g 10m - X57020MG X5 Interconnection Cable 70-g 20m - X57030MG X5 Interconnection Cable 70-g 30m
X5 Interconnection Cable 70-gV	X57002MGV Interconnection Cable 70-gV 2m - X57005MGV Interconnection Cable 70-gV 5m - X57010MGV Interconnection Cable 70-gV 10m - X57020MGV Interconnection Cable 70-gV 20m - X57030MGV Interconnection Cable 70-gV 30m
X5 Interconnection Cable 70-w	X57002MW X5 Interconnection Cable 70-w 2m - X57005MW X5 Interconnection Cable 70-w 5m - X57010MW X5 Interconnection Cable 70-w 10m - X57020MW X5 Interconnection Cable 70-w 20m - X57030MW X5 Interconnection Cable 70-w 30m
X5 Interconnection Cable 70-wV	X57002MWV X5 Interconnection Cable 70-wV 2m - X57005MWV X5 Interconnection Cable 70-wV 5m - X57010MWV X5 Interconnection Cable 70-wV 10m - X57020MWV X5 Interconnection Cable 70-wV 20m - X57030MWV X5 Interconnection Cable 70-wV 30m
X5 Interconnection Cable 95-gV	X59502MGV (2m)
X5 Interconnection Cable 95-w	X59502MW
X5 Interconnection Cable 95-wV	X59502MWV (2m)
Double Feeder Y-Cable	X570DF000
Power Source Air Filter	SP016870 (10 PCS)
Wire Drum Kit	W012757 Wire Drum Kit, 5m - W012758 Wire Drum Kit, 10m - W012759 Wire Drum Kit, 20m - W012760 Wire Drum Kit, 27m
Digital Connectivity Module	6265051



MMA Welding Cable, 50 mm ²	6184501 Welding Cable 50 mm ² 5 m - 618450101 Welding Cable 50 mm ² 5 m/MYK - 6184502 Welding Cable 50 mm ² 10 m - 6184503 Welding Cable 50 mm ² 15 m
MMA Welding Cable, 70 mm ²	6184701
MMA Welding Cable, 95 mm ²	6184901
Earth Return Cable, 70 mm ²	6184711 Earth Cable 70 mm ² 5 m - 6184712 Earth Cable 70 mm ² 10 m - 6184713 Earth Cable 70 mm ² 15 m - 6184714 Earth Cable 70 mm ² 20 m
Earth Return Cable, 95 mm ²	6184921

WWW.KEMPPI.COM

Kemppi jest liderem w dziedzinie projektowania urządzeń do spawania łukowego. Poprzez ciągłe doskonalenie charakterystyki łuku spawalniczego staramy się zapewniać coraz wyższą jakość i wydajność spawania, jednocześnie pracując na rzecz bardziej ekologicznego i równego świata. Firma Kemppi dostarcza zaawansowane zrównoważone produkty, rozwiązania cyfrowe i usługi dla profesjonalistów — od firm zajmujących się spawaniem w warunkach przemysłowych po wykonawców indywidualnych. Naszym celem nadrzędnym jest użyteczność i niezawodność produktów. Działamy w oparciu o sieć wysoko wykwalifikowanych partnerów obejmującą ponad 70 krajów, dzięki czemu jesteśmy w stanie obsługiwać klientów lokalnie. Firma Kemppi z siedzibą w Lahti w Finlandii zatrudnia prawie 800 specjalistów ds. spawania w 16 krajach i w 2022 r. osiągnęła obrót 195 mln EUR.

